ePrescribe Setup Guide

For Easy Dental



Publication Date

March 2023

Copyright

© 2023 Henry Schein One. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form by any means without the prior written permission of Henry Schein One.

Software License Notice

Your license agreement with Henry Schein One, which is included with the product, specifies the permitted and prohibited uses of the product. Any unauthorized duplication or use of ePrescribe or Easy Dental in whole or in part, in print, or in any other storage and retrieval system is forbidden.

Licenses and Trademarks

Easy Dental, Henry Schein One, and the Henry Schein One logo are registered trademarks of Henry Schein One. Microsoft, Windows, and Windows 10 are registered trademarks of Microsoft Corporation. Veradigm is a trademark of Allscripts Healthcare, LLC. Allscripts is either a trademark or a registered trademark of Allscripts Healthcare, LLC.

Contents

Introduction & Setup	1
Meeting the Pre-requisites	2
Activating ePrescribe	2
Configuring Practice Information	3
Configuring Provider Information	5
Preparing for First-time Use	9
Linking an ePrescribe Account	
Registering for EPCS	
Usage	51
Usage Opening ePrescribe	
•	52
Opening ePrescribe	52 54
Opening ePrescribe Editing Patients	52 54 55
Opening ePrescribe Editing Patients Adding and Editing Allergies	52 54 55 57

Introduction & Setup

ePrescribe allows you to submit prescriptions to pharmacies online. The ePrescribe features of Easy Dental are available as an add-on. To get this add-on, you must purchase a license to enable ePrescribe in Easy Dental. The online access to ePrescribe is a third-party service provided by Veradigm (formerly Allscripts). This guide will help you understand how to set up and use the ePrescribe features. You can download and print this document from the Resource Center at <u>www.easydental.com</u>.

This chapter covers several topics about how to activate ePrescribe and set up locations and users to use ePrescribe. The first four items below are tasks that you must perform in Easy Dental before you begin configuring ePrescribe:

- Meeting the Pre-requisites
- Activating ePrescribe
- Configuring Practice Information
- Configuring Provider Information

These final tasks need to be done in ePrescribe after purchasing and enabling ePrescribe:

- Enabling Locations
- Adding Users
- Preparing for First-time Use
- Linking an ePrescribe Account
- Registering for EPCS
- Adding Sites in ePrescribe

Note: ePrescribe refers to locations (or clinics) as "sites."

Meeting the Pre-requisites

Before you attempt any setup and configuration of ePrescribe, you must meet the following pre-requisites:

- 1. Purchase ePrescribe licenses:
 - Call your sales manager, or
 - Call the Sales department at 866-624-4095.
- **2**. Install Easy Dental 11.4 or later. To take advantage of all the functionality described in this guide, you must install the latest version of Easy Dental.
- 3. Have passwords enabled and set up in Easy Dental.

Important: If a provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through ID.me, that provider must link his or her EPCS account to ePrescribe instead of signing up for an account. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

Activating ePrescribe

The steps in this section must be completed with the help of an ePrescribe Adoption Specialist or Easy Dental Customer Support.

To activate ePrescribe

1. In the Patient Banner, click the Settings button, and then click Practice Resource Setup.

The Practice Resources dialog box appears.

2. Under Practice Information, click Edit.

The **Practice Information** dialog box appears.

3. Under ePrescribe, click Setup.

The **ePrescribe settings** dialog box appears.

ePrescribe settings - (CENTRAL	×
✓ Activate		
DB Key:		
Linnana Kaun	E 40 LA SABICIP'IN LE	
License Key:	1-1/10788-83-PECKIX-#1-PUT	
# Licenses:	Expiration Date: 01/01/2040 Daily Reminders: 10	
View EULA	ОК	Cancel

- **4**. Select the **Activate** check box.
- 5. Send an email message to the Customer Support department with the value in the DB Key field.
- 6. From the email message you receive back from Customer Support, copy the license key into the License Key field.

The # Licenses and Expiration Date fields are populated automatically.

7. In the **Daily Reminders** field, type the number of days before the license expires that you want to be

notified of the upcoming expiration.

Important: The daily reminders should be set to 90 days.

- 8. Click OK.
- 9. Read the ePrescribe Customer License Agreement (EULA) that appears, and then click I Agree.

Important: Pursuant to the EULA, providers who are set up to use ePrescribe are responsible for all activity performed while logged in to Easy Dental and ePrescribe using their respective user accounts. This includes, but is not limited to, activities performed when a provider shares his or her login credentials with someone else or when a provider leaves himself or herself logged in to Easy Dental, thus allowing someone else to access ePrescribe as that provider. The following is a relevant portion of the EULA:

You may allow any number of non-practitioner users to use ePrescribe, but only in support of Your legal and professional use and provided further that You agree that You are responsible for such users' compliance with all the terms of this Agreement.

* Complete the activation before a trainer starts the training with your office.

Configuring Practice Information

You must configure your practice information in Easy Dental to use ePrescribe.

To configure practice information

- In the Patient Banner, click the Settings button, and then click Practice Resource Setup. The Practice Resources dialog box appears.
- 2. Do the following:
 - a. Next to your practice information, click Edit.

The Practice Information dialog box appears.

Practice Information X
<u>T</u> itle:
Dentrix Dental Practice
Address: Street 1220 South 630 East #100
City ST Zip American Fork
Phone Ext. Eax [555]555-0102
Settings:
Administrative Contact:
HIPAA Officer.
Bank <u>D</u> eposit Number
Eiscal year's beginning month (1-12): 1
Use Practice Info on Statements.
◯ Use Provider Info on Statements.
CareCredit
ePrescribe
Not Active Setup Administer
OK

b. Verify that the following information is entered: Title, Street, City, ST, Zip, Phone, and Fax.

Important: These options are required to use ePrescribe.

- c. Click OK.
- d. Click the Administrative Contact search button.

The Select Provider/Staff dialog box appears.

e. Select the provider or staff member you want to name the administrative contact for your practice, and then click **OK**.

Note: Only those providers and staff members who have a phone number with an area code are listed. Also, the title for this duty appears under the selected provider or staff member on the Practice Organization List.

f. Click the **HIPAA Officer** search button.

The Select Provider/Staff dialog box appears.

- g. Select the provider/staff member who will act as your practice's HIPAA officer, and then click OK.
- h. Type your account number in the Bank Deposit Number field.

Note: Your account number prints on your deposit slips automatically.

- i. Type the number of the month that your fiscal year begins. (The default is 1.)
- j. Select one of the following options:
 - Use Practice Info on Statements Prints your practice name and address on billing statements. This is the default.
 - Use Provider Info on Statements Prints a patient's primary provider's name and address on billing statements.
- k. Click OK.* Complete the configuration before a trainer starts the training with your office.

Configuring Provider Information

You must configure information for all providers who you want to enable to use ePrescribe.

To configure provider information

- 1. In the Patient Banner, click the Settings button, and then click **Setup**.
 - The **Practice Resource**s dialog box appears.
- 2. Under Providers, select a provider, and then click Edit.

The **Provider Information** dialog box appears.

Provider Information		
Last <u>N</u> ame: Smith	First Dennis	MI Suffix Electronic Rx User
<u>I</u> D: DDS1 <u>I</u> itle: D.	D.S. Non-	Eee Person Schedule: 1. FEE 1 >
Specialty: Dentist		✓ <u>S</u> S#:
Street		
Address: DDS1_1220 South 6	530 East	StateID#: State:
Suite #500		State License Expiration
City American Fork	ST Zip	TIN <u>#</u> :
Phone: (555)555-0103	E <u>x</u> t:	Medicaid#:
<u>E</u> -Mail:		DEA#:
		DEA License Expiration
Assigned 2 OP-2 Operatories: 3 OP-3	<u>C</u> lass ● Primary ○ Secondary	DEA Schedule: II III IIV V NPI: Blue Cross ID#: Blue Shield ID#:
	Provider ID Setup	Provider#:
		Office#:
		Medicare#:
Insurance Claim Options		Other ID#:
Print Provider's Signa	ture Ilsin or	UPIN#:
	" Provider's Name	Controlled Substance#:
		OK Cancel

- **3**. Verify that the following information is entered:
 - Last Name
 - First Name
 - User ID & Password
 - Specialty
 - Address (City, State, Zip)
 - Phone
 - E-Mail

Important: A provider you register for ePrescribe will receive an email confirmation of the registration at the **E-Mail** address entered.

• State ID #

- State
- State License Expiration
- DEA #
- DEA License Expiration
- DEA Schedule
- NPI

Important: These options are required to use ePrescribe.

4. Click OK.

* Complete the provider configuration before a trainer starts the training with your office.

Adding Users

Be aware that the first time a user who can prescribe attempts to use ePrescribe, he or she must complete an identity verification process through Veradigm (formerly Allscripts; the third-party vendor that provides the ePrescribe services), which consists of filling out an online form. For more information about this process, see "Opening ePrescribe" in the Usage chapter.

Additionally, if a user can prescribe controlled substances, he or she must complete a registration process for Electronic Prescribing of Controlled Substances (EPCS). For information about this process, see "Registering for EPCS" in this chapter.

To add a user

1. Easy DentalIn the Patient Banner, click the Settings button, and then click Setup.

The **Practice Resources** dialog box appears.

1a. Under Practice Information, click Edit.

The **Practice Information** dialog box appears.

2. Click Electronic Rx User.

The **Clinic Resource Setup** dialog box appears.

3. Click Users.

The Users page appears.

sers		10
nic: Central	Clinic [CENTRAL]	
ID	Name Status	Add
JOE1	Dentist Dr., Joe Confirmed	
		Confirm
		View
		Disable
		Practice

4. Click Add.

The User Details page appears.

G Administration - ePrescribe					E
User Details					1.0.4.0
Practice:	Murray Dental		DEA License:	AH8649634	
User:	Prov15LN , Prov15FN	>>	DEA Lic. Expiration:		
User Type:	Staff 🔹		DEA Schedule:	Π. Π. Ιν. ν.	
Administrator:			State License:	11017	
Email:	something@dental.org		State Lic. Expiration:		
Upload Status:	No upload needed		State Lic. State:		
			NPI:		
				Disable Save	Cancel

Important: A yield symbol \triangle indicates that required data has not been entered. If this symbol appears next to the **Email**, **DEA License**, **DEA Lic. Expiration**, **State License**, **State Lic. Expiration**, **State Lic. State**, or **NPI** box, close ePrescribe, enter the appropriate provider information, and then return to this point.

5. Click the **User** search button >> to select a provider or a staff member.

ID	Name	Status
DS78	Country DMD, Doctor	Disabled
DDS90	Location 3 DMD, Doc	Disabled
DDS67 DDS221	Third DMD, Location Groove DMD, Test	Disabled Disabled

- 6 Select the provider you want to make an administrator from the list, and then click **Select**.
- 7. Select the Administrator check box if the user is to be an administrator of ePrescribe.

Note: If your organization has multiple providers who prescribe controlled substances, it is recommended that you have a user who is not one of those providers be an ePrescribe administrator.

8. Click Save.

Important: After you enable a provider's user account to use ePrescribe, if the provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through Zentry (formerly Verizon) or ID.me, skip "Preparing for First-time Use" on page 9. That provider must, instead, link his or her EPCS account to ePrescribe as explained in "Linking an ePrescribe Account" on page 39. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

Preparing for First-time Use

The first time a user who has been enabled to use ePrescribe opens ePrescribe, he or she must go through an identity verification process and accept the End User License Agreement (EULA) for Veradigm (formerly Allscripts) ePrescribe. Providers who prescribe medications must complete additional identity verification steps.

Also, providers who prescribe controlled substances must complete the identity verification process explained in this section before they can register for Electronic Prescribing of Controlled Substances (EPCS) as explained in "Registering for EPCS" in this chapter.

To prepare for first-time use

 Log in to Easy Dental with a user account that has been enabled to use ePrescribe. Then, from the Office Manager, click the ePrescribe Task Mode button on the toolbar to open ePrescribe.

If you have not used ePrescribe yet, the **Welcome to the Veradigm Security Account Activation Wizard!** page appears.

👩 Tas	s - ePrescribe		—		×
	veradigm.				^
Wel	come to the Veradigm Security Account Act	ivation Wizard!			
	Enroll Now	Link Accounts			
	Please use this option to create a new Veradigm Security Account.	Please use this option to use an existing Security Account Login if you have o	-	m	
	Sign Up	Link Accounts			
		cribe Customer Support cribeSupport@Veradiam.com			~
2.0.3.0	Cris	Powered by Allscripts	(Close	

2. Click Sign Up.

The Veradigm security account information page appears.

👩 Tasks - ePrescribe		
🔯 verad	digm.	^
Create New Acco	unt	
PERSONAL INFORM	ATION	
* First Name		
Middle Name		
* Last Name		
* Personal Email		
USER CREDENTIALS	& SECURITY	
* Username		
* Password		
* Confirm Password		
Rules	Must have between 8 (min) and 25 (max) characters and any three of the following: • One (1) upper case character	
	One (1) lower case characterOne (1) special character	
	• One (1) number	
	Select Security Questions Provide Answer What was your childhood nickname?	s
	In what city did you meet your spouse/significant other?	
	What is the name of your favorite childhood pet?	
ACKNOWLEDGEMEN	г	
Captcha	Type the Captcha code here	
□ I have reviewed my	registration entries	
Submit		~
2.0.3.0	Powered by Allscripts	Close

3. Complete the form

Notes:

- Providers must use their own personal email addresses.
- After you specify a user name, when you click outside the box, a green check mark appears if that user name is available.
- 4. Click Submit.

A message appears, stating that your shield account is set up.

5. Close and reopen ePrescribe (in task mode).

One of the following occurs:

- If you are logged in as a prescriber, the Welcome to Veradigm ePrescribe page appears. Proceed to step 6.
- If you are logged in as a non-prescriber (staff or prescribe-on-behalf user), the End User License Agreement page appears. Skip to step 5 under "Finishing ePrescribe Setup."
- 6. Read the instructions for verifying your identity.

Important: To verify your identity through ID.me, you must have the following:

- A smartphone or tablet with iOS 10.3 or later, or Android 6 or later. The smart device must also have a camera and Web browser and be able to receive text messages.
- The ID.me Authenticator app (which is used for two-factor authentication) installed on the smart device. You can download this app from the Apple Store or Google Play.
- Veradigm (formerly Allscripts) security account credentials. These credentials are the login ID and password that are associated with the provider's ePrescribe user account.
- A personal or a private email address. A group or shared email is not allowed.
- A valid driver's license, a state ID, a passport, or a passport card. Alternatively, you can answer questions about your credit history.
- A Social Security Number.
- 7. Close ePrescribe.
- 8. Using the Google Chrome or Microsoft Edge browser, go to eprescribe allscripts.com.

Sveradigm. ePrescribe	
Username	
Password	
Remember me	
Log In	
Forgot Password? Register for New Account.	

Version:	22.4.0.33
	hallen I.V.VVV

 Use your ePrescribe user name and password (created in steps 1-4) to log in to the Veradigm website. The Welcome to Veradigm - ePrescribe page appears.

- 12 Setup
 - **10**. Make sure you have the ID.me Authenticator app installed on your smart phone or tablet and have the proper identification, and then click **Continue**.

The Security Account Login page appears.

👩 Tasks	- ePrescribe — 🗆	×
	[⊗] Allscripts [®]	
	Security Account Login	
	Username Usemame is Required	
	Password Password is Required	
	Forgot Password ?	
	Log In	
2.0.3.0	Powered by Allscripts Close	e

11. Enter your ePrescribe username and password that you just created in steps 1-4, and then click Log In.

Creating an ID.me Account

After creating your Veradigm security account, you'll need to create an ID.me account and link it to the Veradigm security account you just created.

Note: You will use these same ID.me account steps if you link to an existing ePrescribe account or register for EPCS, so this "Creating an ID.me Account" section is referenced again in those later sections of this guide.

After logging in to your ePrescribe security account, the Sign in to ID.me page appears.

['] Tasks - ePrescribe — 🗆 🗙
ID.me + 🛞 Allscripts
Sign in to ID.me
Or create an ID.me account
Email
Enter your email
Password
Enter your password
Sign in to ID.me
Forgot password
Or sign in with
Facebook Google in LinkedIn
View more options >
2.0.3.0 Powered by Allscripts Close


- 1. Do one of the following:
 - If you already have an ID.me account, enter the applicable **Email** address and **Password**, and then click **Sign in to ID.me**.
 - If you do not have an ID.me account, create one:
 - a. Click the **Or create an ID.me account** link.

The **Create an ID.me account** page appears.

Tasks -	ePrescribe —		×
	ID.me + 🛞 Allscripts	Þ	^
	Create an ID.me account		
	Or sign in to your account		
	Email		
	Enter your email		
	Password		
	Enter your password		
	Confirm Password		
	Confirm your password		
	I accept the ID.me <u>Terms of Service</u> and <u>Privacy Policy</u>		
	Create an ID.me account		
	Or sign in with		
	Facebook Google in LinkedIn		
	View more options >		~
	Powered by Allscripts	Close	

- Enter your email address in the Email box, enter a password in the Password and Confirm Password boxes, and select the I accept the ID.me Terms of Service and Privacy Policy check box.
- c. Click Create an ID.me account.


The Confirm Your Email Address page appears.



ID.me vveicome! Thanks for creating an ID.me account! ID.me simplifies how you verify and share your identity online, while helping keep your information safe. You can confirm your email address by clicking the link below. Confirm your email Please note: This link will expire in 15 minutes.

In Prescribe, the Secure Your Account page appears and displays the multi-factor authentication options.


d. Locate the Welcome to ID.me email message in your email program's inbox, and then click



- 2. Set up two-factor authentication:
 - a. Click the Code Generator Application box.

Confirm your email.

The enrollment options appear.



b. Click Scan QR Code.

A QR code appears.



c. Open the ID.me Authenticator app on your smart device.


•	- (•	<u>·</u>	
20	না Sketch হ	9:41 AM	*100% ■,
		come to ID. uthenticato	

d. Tap the plus sign (+) in the upper-right corner. The options to add an account appear.

📶 Sketch 🗢	9:41 AM	\$100% 🔳
÷	Add Account	Help
the v	g this app, scan the QR code on vebsite where you are enabling ſwo-Factor Authentication.	

e. Tap Scan QR Code.

An access message appears.



- f. Tap OK or Allow to allow ID.me Authenticator to have access to your device's camera.
- **g**. Point your device's camera at the QR code being displayed in ePrescribe.

📶 Sketch 🗢	9:41 AM	\$100% 🔳
←	Add Account	Help
S	can the QR Coo	de
ſ		T
	marie	
	817675	

When the phone captures the QR code, a six-digit code appears in the ID.me Authenticator app.


•	
9:41 AM	* 100% —)
ID.me	● =
tor	
656	26
000	
	ID.me

On the Veradigm website, the Secure Your Account page displays the confirmation options.

ID.me + 🛞 🗚	llscripts
SECURE YOUR	ACCOUNT
1 2	3
Confirm you	r device
Please check your code gene 6-digit code to complete s	
Enter the 6-digit code *	
76703	80
Name your device	
ex. My iPhone	optional
<u>Go back</u>	Continue


h. In the Enter the 6-digit code box, enter the code from your smart device, and then click Continue.

The Your Account Is Now Secure page appears.



i. Click Generate recovery code.

The generated recovery code appears.




j. Click the **download a copy** link to save the recovery code as .pdf file in a safe storage location.

Note: This recovery code is a one-time use code that allows you to access your account in the event that you change or lose your smart device. A recovery code is required any time you change your multi-factor authentication. A new recovery code will be generated automatically after the previous code is used. You must download and save the new recovery code each time.


k. Click Continue.

The Verify Your Identity page appears.



- **3**. Complete the identity proofing steps:
 - **a.** Under **Choose a verification method**, click the box that corresponds to how you want to verify your identity. For the purposes of this guide, the uploading of license photos is explained, but the following methods are available:
 - Upload photos of your license or state ID
 - Upload a photo of your passport
 - Upload photos of your passport Card
 - **b.** If the **Biometric Information Privacy Statement** page opens, read the policy, select the check box to acknowledge that you understand, and then click **Continue**.

The Choose how ot submit photos options appear.



c. Click Take photo.

The Receive a link on a smartphone to take a photo options appear.

ID.me + 🥸	Allscripts
VERIFY Y	OURIDENTITY
1 _2_	-3
	on a smartphone a photo
· ·	phone number. We'll also ty with telecom operators.
Mobile Phone Number	
•	
in the second	and the second second
	e device must have a nd a web browser
receive notifications t calls during sign-in a	none number, you agree to hrough text message or voice attempts in order to protect ur account.
	Continue


- **d**. Enter your mobile phone number. The number must be registered to you under your full legal name, and the phone must be able to receive text messages.
- e. Click Continue.
- **f**. If a message regarding whether you control the email address for your ID.me account or not appears, click **Yes**.

You receive a text message from ID.me with a link to take photos of your license.

III Verizon 穼	10:23 AM	∦ 98% 🗖
Messages	221-020	Details
	Text Message Today 10:23 AM	
This messag	e is from	
Allscripts and	d our verification le. Please click	
the following photos: http confirm-pho	s://verify.id.me/	

g. On your smart device, tap the link in the text message.

The device's browser opens and displays the Take Photos With Your Phone page.



h. Tap I'm ready to take a photo.

The options for taking photos appear.

11:27 ∢ Messages	بال ❤ ◯ ≜ verify.idmelabs.com
	ID.me
TAK	E PHOTOS WITH YOUR PHONE
<u>1</u>	2 3 4 5
	<u>₽</u> =
<u>Take pł</u>	noto of your driver's license or state ID (FRONT)

i. In the upper box, tap the **Take photo of your driver's license or state ID** link to take a photo of the front of your license.



- j. Tap Take Photo.
- **k**. Use your device's camera to take a picture of the front of your license.



The resulting photo appears.





I. Tap **Continue**.


ID.me + 🛞 Allscripts TAKE PHOTOS WITH YOUR PHONE (1)-(3)---(4)---(5) 2 UTAH DRIVER LIGENSE UT Take a different photo Choose photo of your driver's license or state (BACK)

The upper box now displays the photo of the front of the license.

m. In the lower box, tap the **Take photo of your driver's license or state ID** link to take a photo of the back of your license.







- n. Tap Take photo.
- **o**. Use your device's camera to take a picture of the back of your license.



The resulting photo appears.



p. Tap **Continue**.

The lower box now displays the photo of the back of the license.



q. If the photos of your license are clearly displayed on your device, tap **Submit your photos** to upload the photos.

A message appears on a new browser tab when the images have been submitted.

	• —
	D.me + 🛞 Allscripts
	R S
You	r driver's license or state ID was uploaded
	e go back to the browser on your device to continue. You may now close this page.


r. Return to the other open browser tab.

The Enter Your Social Security Number page appears.

• —	-
ID .me + 🚳	Allscripts
VERIFY YOUR IE	DENTITY
1_2_3_	
Enter your Social Sec ocial Security Number *	curity number
###-##-####	
The Social Security number identifier to confirm identity your credit so	. This will not affect
Back	Continue


s. Enter your Social Security Number, and then click **Continue**.

Your registration information appears.



- t. Confirm that your information is correct, and then select the **The information I've provided is** correct, and I accept the use of Fair Credit Reporting Act data to verify my identity check box.
- u. Click Yes.


The Authorize Allscripts Shield page appears.



v. Click Allow.

Your ID.me account is now linked to your Veradigm (formerly Allscripts) security account, and you are logged out automatically.

Important: If ID.me was not able to complete the identity proofing process, you will need to follow an alternate verification process, which involves completing a video conference with an ID.me representative (Trusted Referee) to confirm your identity.



Alternate verification process

If you receive a message stating that your identity could not be verified, do the following:

- i.) On your smart device, click Schedule Now.
- ii.) Click Get Started.
- iii.) Select a preferred date and time, and then click Continue.
- iv.) Confirm your personal information, and then click Continue.
- **v**.) Select a primary and secondary identification document. Refer to <u>https://help.id.me/hc/en-us/articles/360012933634-What-is-a-Primary-or-Secondary-Identification-Document-</u> for information about acceptable primary and secondary documents.
- vi.) Click Continue.
- vii.)From your smart device, take and upload photos of your identification documents, and then tap **Continue**.
- **viii**.)When your photos are received, in the ePrescribe window, enter your mobile phone number, and then click **Continue**.
- **ix**.) On you smart device, click the link in the text message that you receive from ID.me, and then take a photo of yourself using the device's camera.
- x.) Under Selfie, tap Choose.
- xi.) Tap Choose file, and then select the photo that you took of yourself.
- xii.) Tap Submit Selfie.

In the ePrescribe window, a confirmation that your video call appointment with an ID.me referee has been scheduled appears.

Finishing ePrescribe Setup

After your ID.me account is successfully created and linked to your Veradigm (formerly Allscripts) security account, you'll need to finish the ePrescribe setup.

1. Close and reopen ePrescribe using the web address eprescribe.allscripts.com.

Note: You will use the web address eprescribe.allscripts.com going forward to create prescriptions.

The Home Address page appears.

🗑 Tasks - ePrescribe		—	×
			^
			 _
Home Address			
*Home Address			
Home Address 2			
*City			
*State	Select a State 🗸		
*ZIP Code			
Submit Cance			

2. Enter your home street address, and then click **Submit**.

The **NPI Verification** page appears.

🗑 Tasks - ePrescribe		– 🗆 X
		· · · · · · · · · · · · · · · · · · ·
		Logout
NPI Verification		
Please provide your details for	NPI verification.	* = Required
* First Name	Marie	
* Last Name	Hayes	
* NPI	3886802073	
	SUBMIT CANCEL	

3. Verify that your name and NPI are correct, and then click **Submit**.

The **Congratulations!** page appears.

🖻 Tasks - ePrescribe			×
			^
veradigm.			
Congratulations!			_
Congratulations! you are now able to use ePrescribe.			-
Click Next to start ePrescribing.			
Next			
Control of the second second second second			
Contact us: eprescribe.allscripts.com/help 🖂 ePrescribeSup	port@Ve	eradigm.c	om
2.0.3.0		Close	

4. Click Next.

The End User License Agreement page appears.

😇 Tasks - ePrescribe			×
	Heathe	AF Clin r Tompkiı Loqou	ıs
End User License Agreement			f
Allscripts ePrescribe™ Services Agreement THIS IS A LEGAL AGREEMENT BETWEEN YOU (DEFINED BELOW) AND ALLSCRIPTS HEALTHCAR ("ALLSCRIPTS") BY CLICKING "I AGREE" OR BY OTHERWISE SIGNING UP FOR AN ACCOUNT, OF OR USING THE EPRESCRIBE SERVICES (DEFINED BELOW), YOU ARE ENTERING INTO THIS ALL ePRESCRIBE SERVICES AGREEMENT (THE "AGREEMENT") AND YOU AGREE TO BE BOUND BY I CONDITIONS. YOU REPRESENT THAT YOU ARE ACTING ON BEHALF OF YOURSELF, AS AN INDI' YOUR EMPLOYER (COLLECTIVELY, "YOU"). Please read this agreement carefully, and do not sign u use the ePrescribe Services if You are unwilling or unable to be bound by this Agreement.	R BY ACC SCRIPTS TS TERM VIDUAL, A	SAND ND	^

5. Review the agreement, and then click **I Agree**.

If the **Password Setup** page appears, proceed to the next step; otherwise, skip to step 16.

छ Tasks - ePrescribe	
Password Setup	
Why am I seeing this? Your current practice settings allow you to setup a password that can be used for cert Setting up users for the electronic prescribing of controlled substances Prescribing controlled substances electronically Accessing the iPhone and Mobile versions of ePrescribe Note that these features are dependant on your current practice configuration. Please	contact your system administrator with questions.
Username: hschein_TH1.Tompkins.Heat.1	 Assword requirements: At least 8 characters and Maximum 25 characters At least 3 of the 4: 1 upper case letter 1 lower case letter 1 numeric character 1 punctuation character

6. If you need to set up users to prescribe controlled substances electronically, or if you need to prescribe controlled substances electronically, enter a password in the **Password** and **Confirm Password** boxes, and then click **Setup Password**.

If you have multiple sites set up in ePrescribe (as explained in "Adding Sites in ePrescribe" on page 51), the site selection page appears.

lease select the accou	int from which y	ou are practi	icing today:	
My Dental Corpo	oration	\sim		
AF Clinic				
O My Dental Corpo	ration			
Keep me logged into			of the day.	
Make this my default	site (do not ask m	ie again)		
Select				
				20.1.2.12
.0.3.0	Powered	by Allscripts		Close

- 7. Select a site.
- **8**. Select any of the following check boxes as needed:
 - Keep me logged into the selected site until the end of the day When you click Select, for the rest of the day, ePrescribe will not prompt you to select a site.
 - Make this my default site (do not ask me again) When you click Select, ePrescribe will always log you in to the selected site and will never again prompt you to select a site.

Note: With neither check box selected, ePrescribe will prompt you to select a site each time you open that module from .

9. Click Select.

Linking an ePrescribe Account

After you enable a provider's user account to use ePrescribe, if the provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through ID.me, that provider must link his or her EPCS account to ePrescribe. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

To link an ePrescribe account

1. Log in to the ePrescribe website at hseprescribe.com/access with a user account that has been enabled to use ePrescribe.

If you have not used ePrescribe yet, the **Welcome to the Veradigm Security Account Activation Wizard!** page appears.

ks - ePrescribe	- 0
🕽 veradigm.	
come to the Veradigm Security Account Act	tivation Wizard!
Enroll Now	Link Accounts
Please use this option to create a new Veradigm Security Account.	Please use this option to use an existing Veradigm Security Account Login if you have one.
Sign Up	Link Accounts
	cribe Customer Support
	Powered by Allscripts Close

2. Click Link Accounts.

The Veradigm Security Account: Link to Existing Account page appears.

Veradigm Security Account: Link to Existing Account				
Please enter your Veradigm Security Account credentials to link to your existing account				
* Security Account Name: * Password:				
If you have forgotten your User Name or Password, please log into the system you originally used to configure your Veradigm Security Account to view user name and/or change password.				
Link Account Not a registered user? Enroll now				

- 3. Enter the correct credentials in the Security Account Name and Password boxes.
- 4. Click Link Account.

A confirmation message that contains some basic account information appears.



5. Click Next.

The Home Address page appears.

🗑 Tasks - ePrescribe		-	×
			^
(_
Home Address			
*Home Address			
Home Address 2			
*City			
*State	Select a State 🗸		
*ZIP Code			
Submit Cance			

6. Enter your home street address, and then click **Submit**.

The **NPI Verification** page appears.

🗑 Tasks - ePrescribe			—		×
		•			~
				Logo	<u>ut</u>
NPI Verification					
Please provide your details for	NPI verification.		_	* = Requ	red
* First Name	Marie				
* Last Name	Hayes				
* NPI	3886802073				
	SUBMIT CANCEL				

7. Verify that your name and NPI are correct, and then click **Submit**.

The **Congratulations!** page appears.

😇 Tasks - ePrescribe	—		×
			^
veradigm.			
Congratulations!			
이 있는데 이는 것이 이는 것은 것이 데이지 않는데 이것 같다.			-
Congratulations! you are now able to use ePrescribe. Click Next to start ePrescribing.			
Next			
Contact us: eprescribe.allscripts.com/help 🖂 ePrescribeSup	port@Ve	eradigm.c	om
2.0.3.0		Close	

8. Click Next.

The End User License Agreement page appears.

🖻 Tasks - ePrescribe	-		×
	Heather	AF Clin Tompkin Loqou	ns
End User License Agreement			
Allscripts ePrescribe™ Services Agreement THIS IS A LEGAL AGREEMENT BETWEEN YOU (DEFINED BELOW) AND ALLSCRIPTS HEALTHCAR ("ALLSCRIPTS") BY CLICKING "I AGREE" OR BY OTHERWISE SIGNING UP FOR AN ACCOUNT, OF OR USING THE EPRESCRIBE SERVICES (DEFINED BELOW), YOU ARE ENTERING INTO THIS ALL PRESCRIBE SERVICES AGREEMENT (THE "AGREEMENT") AND YOU AGREE TO BE BOUND BY I CONDITIONS. YOU REPRESENT THAT YOU ARE ACTING ON BEHALF OF YOURSELF, AS AN INDIV	R BY ACCH SCRIPTS TS TERMS /IDUAL, A	S AND ND	^
YOUR EMPLOYER (COLLECTIVELY, "YOU"). Please read this agreement carefully, and do not sign u use the ePrescribe Services if You are unwilling or unable to be bound by this Agreement.	p for an a	ccount or	:

9. Review the agreement, and then click I Agree.

If the **Password Setup** page appears, proceed to the next step; otherwise, skip to step 17.

Tasks - ePrescribe
Password Setup
 Why am I seeing this? Your current practice settings allow you to setup a password that can be used for certain features such as: Setting up users for the electronic prescribing of controlled substances Prescribing controlled substances electronically Accessing the iPhone and Mobile versions of ePrescribe Note that these features are dependant on your current practice configuration. Please contact your system administrator with questions.
Username: hschein_TH1.Tompkins.Heat.1 Password requirements: * Password: - - At least 8 characters and Maximum 25 characters * Confirm Password: - - At least 3 of the 4: * Confirm Password: - 1 upper case letter Setup Password Skip Setup For Now - 1 numeric character

10. If you need to set up users to prescribe controlled substances electronically, or if you need to prescribe controlled substances electronically, enter a password in the **Password** and **Confirm Password** boxes, and then click **Setup Password**.

If you have multiple sites set up in ePrescribe (as explained in "Adding Sites in ePrescribe" on page 51), the site selection page appears.

e Administration - ePrescribe		– 🗆 X
		Ŧ
Please select the account from	which you are practicing today:	
My Dental Corporation	~	
AF Clinic		
O My Dental Corporation		
Keep me logged into the sele	cted site until the end of the day.	
Make this my default site (do		
Select		
		20.1.2.126
2.0.3.0	Powered by Allscripts	Close

11. Select a site.

12. Select any of the following check boxes as needed:

- Keep me logged into the selected site until the end of the day When you click Select, for the rest of the day, ePrescribe will not prompt you to select a site.
- Make this my default site (do not ask me again) When you click Select, ePrescribe will always log you in to the selected site and will never again prompt you to select a site.

Note: With neither check box selected, ePrescribe will prompt you to select a site each time you open that module from .

13. Click Select.

Registering for EPCS

Each doctor who prescribes controlled substances electronically must complete a one-time registration for Electronic Prescribing of Controlled Substances (EPCS). ID.me is the Credential Service Provider (CSP) that providers will use to register for EPCS.

The following sections explain the registration process according to the number of providers who will prescribe controlled substances:

- One Provider
- Multiple Providers

One Provider

If you have only one provider who uses ePrescribe to prescribe controlled substances, the Provider can complete the registration process (setup, identity verification, and approval).

Step 1 — To turn on EPCS

Prior to beginning the registration process, do the following:

- 1. Log in to . Then, in the Office Manager, click the **ePrescribe Task Mode** toolbar button **b** to open ePrescribe in "task mode."
- 2. Click the **Settings** tab.
- 3. Click the Manage EPCS link.

Regis	tration of	Electronic P	Providers for El	PC S				
Back								
		ivilege - View				v 4		
Gra	nt EPCS P	rivilege	6			FROM	FROM	FROM
✓	Last Name	First Name	DEA Number	DEA Registrant	EPCS Suspended	EPC S Privilege Granted	EPCS Registration Status	EPCS Signing Granted
<	5	Dennis	4,000700	True	False	False	Not Registered	False

- 4. From the list at the top, select Grant EPCS Privilege View.
- 5. Select the check box next to your name.
- 6. Click Grant EPCS Privilege.
- 7. Close ePrescribe to log out.

Step 2 — To set up approval

To set up the permissions for approval, do the following:

- 1. In the Office Manager, click the **ePrescribe Task Mode** toolbar **button** to open ePrescribe in "task mode."
- 2. Click the Settings tab.
- 3. Click the Edit Users link.

Edit Us	ers					
Back						
Last Nai	me:	First Name:	Sear	rch 💿 Active 🔿	Inactive OA	11
	Login ID		Last Name 🔺	First Name	Status	
Edit	hschein_MCOOK.Cook.Ma	ria.1	Cook	Maria	Active	Reset Password

4. Click the **Edit** link to the left of your name.

Back Save
Vuser Information
Security Settings
State License
Vuser Preferences
EPCS Settings
EPCS Permissions: Registered 🕡 EPCS Approver

- 5. Scroll to the bottom. Under EPCS Settings, select the EPCS Approver check box.
- 6. Scroll back to the top, and click **Save**.
- 7. Close ePrescribe to log out.

Step 3 — To approve

After setting up the approval permission, do the following:

- 1. Open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. On the right, under Urgent Message, click the Manage EPCS Approvals link.

If you have successfully completed registration, your name appears.

Regi	stration of	Electronic	Providers for E	PC S						
Back	:									
	Approve Provider for EPCS Signing Permission - View									
App	love EPCS	Signing Pri	vilege							
	Last First DEA DEA EPCS EPCS EPCS EPCS Signing Name Name Number Registrant Suspended Granted Status Granted									
~	Cook	Maria	-	True	False	True	Not Registered	False		

3. Select the check box next to your name.

4. Click Approve EPCS Signing Privilege.

The due diligence dialog box appears.

When you assign EPCS p	ermissions to others, you must co	nfirm a number of ite	ems are true.
certify due diligence to e	nsure that the selected practitione	rs are eligible for EF	PCS as follows:
Either State or Feder	al government identification was u	used to verify their id	lentity.
State authorizations standing.	to practice and prescribe controlle	d substances are cu	urrent and in good
Either DEA registration registration under § 1	ons are current, or exception has t 1301.22	peen granted from th	he requirement of
Le Alge and Linner 3			
If the practitioner is w as an employee or a	orking at healthcare facilities ope t a healthcare facility operated by rsuant to 38 U.S.C. 8153, the prac	the Department of V	eterans Affairs on a
If the practitioner is w as an employee or a contractual basis, pu to do so under 38 U.	orking at healthcare facilities ope t a healthcare facility operated by rsuant to 38 U.S.C. 8153, the prac	the Department of V	eterans Affairs on a
If the practitioner is w as an employee or al contractual basis, pu	orking at healthcare facilities ope ta healthcare facility operated by rsuant to 38 U.S.C. 8153, the prac S.C. 7401-7408.	the Department of V	eterans Affairs on a
If the practitioner is was an employee or al contractual basis, put to do so under 38 U.3 User Name	orking at healthcare facilities ope ra healthcare facilities operated by rewart to 38 U.S.C. 8153, the prac S.C. 7401-7408.	the Department of V	eterans Affairs on a

- 5. Review the information, and select all four check boxes.
- 6. Enter your Veradigm (formerly Allscripts) security account credentials in the User Name and Password boxes.
- 7. Select Authenticator from the Token Device list.
- **8.** In the **One Time Password (OTP)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- 9. Click Accept.
- 10. Close ePrescribe to log out.

Tip: To verify that EPCS registration has been completed, so you can begin prescribing controlled substances, do the following:

- 1. Open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. To open your ePrescribe user profile, click the pencil icon 🖍 next to the user name in the upper-right corner.
- **3.** Scroll to the bottom, and verify that **EPCS Permission** has "ON" next to it. If it does, you have the necessary permission to prescribe, sign, and send electronic prescriptions for controlled substances.

Multiple Providers

If you have multiple providers who use ePrescribe to prescribe controlled substances, the following three individuals are required to complete the EPCS registration (two of the three must be DEA registrants):

- Admin Turns EPCS on for the Providers. <u>Cannot be a DEA registrant.</u>
- **Provider** Goes through the identity proofing. Is a DEA registrant.
- **Approver** Approves a Provider other than him or herself. Is a DEA registrant. (Providers approve each other.)

Step 1 — To turn on EPCS (Admin)

Prior to a Provider beginning the registration process, the Admin must do the following:

- Log in to as the Admin. Then, in the Office Manager, click the ePrescribe Task Mode toolbar button to open ePrescribe in "task mode."
- 2. Click the Settings tab.
- 3. Click the Manage EPCS link.

ack								
аск								
rant	t EPCS Pr	ivilege - View	1			▼ 4		
Gran	of EDCC D							
ora	nt EPCS P	nvilege	6					
Jia						FPC S	EPC S	FPC S
7	Last	First	DEA	DEA	EPCS	EPC S Privilege	EPCS Registration	EPC S Signing
_				DEA Registrant	EPCS Suspended			
_	Last	First	DEA			Privilege	Registration Status	Signing
_	Last Name	First Name	DEA	Registrant	Suspended	Privilege Granted	Registration	Signing Granted

- 4. From the list at the top, select **Grant EPCS Privilege View**.
- 5. Select the check boxes next to the Providers to whom you are granting EPCS privileges.
- 6. Click Grant EPCS Privilege.
- 7. Close ePrescribe to log out. The Providers (from step 5) must also log out of ePrescribe.

Step 2 (Admin) — To set up the Approver

The Admin must set up the permissions for the Approver. Do the following:

- Log in to as the Admin. Then, in the Office Manager, click the ePrescribe Task Mode toolbar button to open ePrescribe in "task mode."
- 2. Click the **Settings** tab.
- 3. Click the Edit Users link.

Edit Us	ers								
Back									
Last Name: Search O Active O Inactive O All									
	Login ID	Last Name 🔺	First Name	Status					
<u>Edit</u>	hschein_MCOOK.Cook.Maria.1	Cook	Maria	Active	Reset Password				
<u>Edit</u>	hschein_DSMITH.Smith.Denn.1	Smith	Dennis	Active	Reset Password				
Edit	hschein STEVE.Thompson.St.1	Thompson	Steve	Active	Reset Password				

4. Click the **Edit** link to the left of the Provider who will be the Approver.

Back Save	
✓ User Information	
✓ Security Settings	
✓ State License	
V User Preferences	
EPCS Permissions: Registered @ EPCS Approver	

- 5. Scroll to the bottom. Under EPCS Settings, select the EPCS Approver check box.
- 6. Scroll back to the top, and click **Save**.

7. Close ePrescribe to log out.

Step 3 (Approver) — To approve Providers

After the Admin sets up an Approver's permissions, the Approver (who must be a DEA registrant) must do the following:

- 1. Log in to as the Approver, and then open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. On the right, under Urgent Message, click the Manage EPCS Approvals link.

A list of providers who have successfully completed registration appears.

stration of	Electronic F	Providers for E	PCS							
Back										
Approve Provider for EPCS Signing Permission - View										
	olgining i in	inege								
Last Name	First Name	DEA Number	DEA Registrant	EPCS Suspended	EPCS Privilege Granted	EPCS Registration Status	EPCS Signing Granted			
Cook	Maria	-	True	False	True	Not Registered	False			
Smith	Dennis		True	False	True	Not Registered	False			
	ove Provide rove EPCS Last Name Cook	ove Provider for EPCS rove EPCS Signing Priv Last First Name First Name Cook Maria	ove Provider for EPCS Signing Permiss rove EPCS Signing Privilege Last First DEA Name Maria Cook Maria	Decision - View rove EPCS Signing Privilege Last Name First Name DEA Number DEA Registrant Cook Maria True	Dea Name DEA Number DEA Registrant EPCS Suspended Cook Maria True False	Ove Provider for EPCS Signing Permission - View Image: Signing Privilege Image: Signing Privilege Image: Signing Privilege Last Name DEA Number EPCS Suspended Privilege Granted Cook Maria Image: Signing Privilege Image: Signing Privilege	Image: Signing Permission - View Image: Signing Privilege Image: Signing Privilege Image: Signing Privilege Image: Signing Privilege Last Name First Name DEA Number EPCS Suspended EPCS Srivilege Granted EPCS Registration Status Cook Maria Image: Signing Privilege True False True Not Registered			

- **3**. Select the check box next to the Provider who you are approving for the signing of electronic prescriptions for controlled substances.
- 4. Click Approve EPCS Signing Privilege.

The due diligence dialog box appears.

CS as follows: entity, irrent and in good re requirement of nent of Veterans Affairs eterans Affairs on a
irrent and in good te requirement of nent of Veterans Affairs
e requirement of nent of Veterans Affairs
nent of Veterans Affairs
lidated for the eligibility

- 5. Review the information, and select all four check boxes.
- 6. Enter your Veradigm (formerly Allscripts) security account credentials in the User Name and Password boxes.
- 7. Select Authenticator from the Token Device list.
- **8.** In the **One Time Password (OTP)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- 9. Click Accept.
- **10**. Close ePrescribe to log out.

Tip: To verify that EPCS registration has been completed for a Provider, so he or she can begin prescribing controlled substances, do the following:

- 1. Log in to as the Provider, and then open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. To open your ePrescribe user profile, click the pencil icon 🖍 next to the user name in the upper-right corner.
- **3.** Scroll to the bottom, and verify that **EPCS Permission** has "ON" next to it. If it does, you have the necessary permission to prescribe, sign, and send electronic prescriptions for controlled substances.

Adding Sites in ePrescribe

For each location that you join to an existing group and enable for ePrescribe from , you must add that location as a "site" from ePrescribe. A stand-alone location or the primary location of a group that you enable for ePrescribe from is added automatically as a site in ePrescribe.

Note: If a user attempts to open ePrescribe while logged in to a location that has not been added as a site in ePrescribe, an error message appears, and the user will not be able to use ePrescribe until the location is added as an ePrescribe site.

To add a site in ePrescribe

- Log in to in the primary location of a group with a user account that has been enabled as an administrator for ePrescribe. Then, from the Office Manager, click the ePrescribe Task Mode button so n the toolbar to open ePrescribe.
- 2. Click the **Settings** tab.
- 3. Click the Site Management link.

The **Site Management** page opens and displays a list of sites that have already been added in ePrescribe.

Site Management									
	Back								
0	Add New Site								
	Site Name		Address	State	Status				
	My Dental Corporation		1234 Maple Drive	UT	Active	Edit Pharmacy Favorites	*		
Uni	Universal Account Settings								
Account Name: My Der		My Denta	I Corporation						
Preferences:		Show	Patient List						
		RxInfo Pre-Built Prescriptions & Comparisons () Lexicomp							
S	ave								

4. Click Add New Site.

Site Name:	
Address:	
City:	
State:	
ZIP Code:	
Phone:	
Fax:	
Time Zone:	Central Time
	Allow Allscripts Remote Access
	Perform Generic Equivalent Searches
	Show and apply Branded Rx Discount Offers
	Allow InfoScripts
	Allow Patient Informational Copy
	Allow Maximum Daily Dose
Printing Preference:	● 1Up ○ 4Up
	Add Site Cancel

The options for adding a new site become available.

- 5. Set up the details for the site: name, address, phone number, fax number, time zone, general preferences, and printing preference.
- 6. Click Add Site.

Note: Do not confuse the Add Site button with the Save button (in the lower-left corner), which is for the Universal Account Settings section of the page.

Usage

This chapter explains the workflow for opening ePrescribe and writing a prescription using ePrescribe. Hints on how to navigate through the ePrescribe module are also provided.

This chapter covers the following topics:

- Opening ePrescribe
- Adding and Editing Patients
- Adding and Editing Allergies
- Adding and Editing Problems
- Entering New Prescriptions

Opening ePrescribe

You can open the ePrescribe module from the Prescriptions module of Easy Dental so that you can prescribe medications and submit them electronically to the patient's pharmacy.

To open ePrescribe

1. Log in to Easy Dental with a user account that has been enabled to use ePrescribe.

Notes:

- If this is the first time you are opening ePrescribe, for instructions on how to complete the initial identification verification process and agree to the terms and conditions in the EULA, see "Preparing for First-time Use" in the Setup chapter.
- ePrescribe users are stored in the DDB_ERX_USER_BASE table of your Easy Dental database.
- 2. From a patient-specific module (except Reports or Schedule), select a patient, and then click the **Prescribe** button .

The **Prescriptions** dialog box appears.

0/03/2019 Antibiotic - Amoxicillin 250 mg Amoxicillin 250 mg	DDS1
ot a standard prescription	


- **3**. Click the **Electronic Rx** button.
- **4**. If you are using ePrescribe in "Test Mode," a dialog box will appear, indicating that ePrescribe is in Test Mode; click **OK** to continue. Otherwise, skip this step.

The ePrescribe module opens.

Prescriptions - ePrescribe					
Patient CROSBY, Brent November 11, 1973 (44 Y) Male Act. Allergies SulfADIAZINE - Oral Act. Problems ECHINOCOC MULTILOC LIVER Act. Meds Cournadin, Tyler Retail Pharm. CS CVS 169361 Navigation MO. Pharm. CS WALGREF Duttons Patient Tasks	Allergy Multi-Symp		80	Läst Sig	My Dental Corporation Help icon 109:41 am 109:5 Mith 109:41 am 109:41 am 100
A Medication & Med Allergy representation has not yet been	performed on this pa	atient.			URGENT MESSAGE
Review History Select Dx > Select Med >>>				Document Visit	
Patient ID Patient Name	DOB	Phone Number	Street Address	;	These are 0 failed
20601 Crosby, Brent	11-Nov-1973	8015556177	1234 Oak St		There are 3 failed registration messages.
					View failed messages Start EPCS Registration
					-
10.68.0	Pow	ered by Allscripts			Close

Tips:

- The navigation buttons are located toward the middle-left area of the window.
- Clicking the **Help** icon opens the Veradigm (formerly Allscripts) ePrescribe Help system in your Web browser.



Editing Patients

You can edit patient demographic information in ePrescribe.

To edit a patient

1. With the ePrescribe module open, click the pencil icon next to the patient name you want to edit.



The Edit Patient screen appears.

ncel Save &	Close Save & Prescribe Patient Allergy Amendments	
Phone		Mobile Phone:
* First Name		Middle Name:
* Last Name		Patient allows Yes Ves
		Patient allows Yes Disclosures to Health Plan:
* Date of Birth	01/01/1968	Patient Preferred English
* Gender	Female	Current Weight: 0 Ib 0 oz
Patient ID (MRN)		0.00 kg
Patient GUID		
Patient Status	Active OInactive Inactive patients will not be included in searches, reports and will not be checked for duplicity.	
* Address 1	A second	Current Height: 0 ft 0 in
Address 2		0.0 cm
* City	:	* State:
E-mail		* ZIP Code:
lected Pharmacy	None Entered [edit]	

- 2. Click Insurance Plan Information at the bottom, and fill in the insurance plan information.
- **3**. When finished, do any of the following:
 - Click Save & Close to save the information and close the window.
 - Click Save & Prescribe to save the information and open the prescription window.
 - Click **Patient Allergy** to add allergy information for the patient.

Adding and Editing Allergies

You can add and edit allergies for a patient in ePrescribe.

To add or edit an allergy

1. In ePrescribe, next to Active allergies, click the text "None entered" (or the text of any existing allergies).

Prescriptions - ePrescrib		
Patient	CROSBY, Brent November 11, 1973 (44 Y) Male MRN 20601	My Dental Corporation
Act. Problem Act. Meds	SulfADIAZINE - Oral SECHINOCOC MULTILOC LIVER Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom CS VVS 16936 IN TARGET, 608 W MAIN ST, AMERICAN FOR MORE CS WALGREENS MAIL SERVICE, 8350 S RIVER PKWY, TEMPE MORE S	Last Sign In Jan 14, 2021 - 09:41 am Dennis Smith / Dennis Compared by the second sec

The Act. Allergies dialog box appears.

Act. Allergies					
Patient Allergy ○ Active ● Inactive ● All					
	Reaction	Туре	Active	Updated Date	e
SulfADIAZINE - Oral	Hives	Allergy	Y 0	1/24/2018	Edit EIE

2. Add or edit an allergy, specify that there are no known allergies, or specify that an allergy was entered in error (EIE):

• Add

a. Click Add Allergy.

The search options appear.

Drug Name Dosage Form Route Penicillin G Benzathine Suspension Intramuscular Penicillin G Benzathine & Proc Suspension Intramuscular Penicillin G Pot in Dextrose Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Potassium in D5W Solution Intravenous Penicillin G Procaine Suspension Intramuscular Penicillin G Sodium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Anaphylaxis Anemia Arrightmia Asthma Solution Solution from the list. Then hold down the Control Key (Ctrl) and continue to select other control key (Ctrl) and continue to selec			
Penicillin G Benzathine Suspension Intramuscular Penicillin G Benzathine & Proc Suspension Intramuscular Penicillin G Potassium Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Potassium Solution Intravenous Penicillin G Potassium Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Naphylaxis Naphylaxis If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Cttt) and continue to select other control key (Cttt) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication selected. Cough Decreased libido Solution selected.	Back Save		
Penicillin G Benzathine & Proc Suspension Intramuscular Penicillin G Pot in Dextrose Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Abdominal pain Arraphylaxis Intervence If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other areactions first reactions from the list. Then hold down the Control Key (Ctrl) and continue to select other areactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected. Cough Decreased libido Intervence		Dosage Form	
Penicillin G Pot in Dextrose Solution Intravenous Penicillin G Potassium Solution Reconstituted Injection Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium in D5W Solution Reconstituted Injection Penicillin G Potassium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported: 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Abdominal pain If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other control key (Ctrl) and continue to select other reactions will be associated to the Class or Medication select other control key (Ctrl) and continue to select other continue	Penicillin G Benzathine	Suspension	Intramuscular
Penicillin G Potassium Solution Reconstituted Injection Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium Suspension Intramuscular Penicillin G Sodium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported: 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Abdominal pain Injection, select (highlight) the first reaction from the list. Then hold down the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select other actions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication select dot. Cough Decreased libido Solution selected.	Penicillin G Benzathine & Proc	Suspension	Intramuscular
Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium in D5W Solution Intravenous Penicillin G Potassium Suspension Intramuscular Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported: 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Naphylaxis Intolerance If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select to the All constipation Sough Solution Selected reactions will be associated to the Class or Medication selected.	Penicillin G Pot in Dextrose	Solution	Intravenous
Penicillin G Procaine Suspension Intramuscular Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Sthma Sthma Statuan Sough Control Key (Cttr) and continue to select other reactions will be associated to the Class or Medication select do the Class or Medication selected.	 Penicillin G Potassium 	Solution Reconstituted	Injection
Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction bit Allergy Intolerance	Penicillin G Potassium in D5W	Solution	Intravenous
Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Asthma Statuant Statu	Penicillin G Procaine	Suspension	Intramuscular
Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy) Allergy Intolerance Reaction Abdominal pain Anaphylaxis Anaphylaxis Anaphylaxis Anaphylaxis Anaphylaxis Control Key (Cttr) and Continue to select (highlight) the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected. Cough Decreased libido	Penicillin G Sodium	Solution Reconstituted	Injection
Allergy Intolerance Reaction Abdominal pain Anaphylaxis Arrhythmia Arrhythmia Stadycardia Constipation Cough Decreased libido Allergy Intolerance If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.	Penicillin V Potassium	Solution Reconstituted	Oral
Allergy Intolerance Reaction Abdominal pain Anaphylaxis Arrhythmia Arrhythmia Sathma Bradycardia Constipation Cough Decreased libido Allergy Intolerance If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.	Date when allergy first noticed/reported: 1/24/2018	(mm/dd/yyyy)	
Reaction Abdominal pain Anaphylaxis Anemia Arrighylaxis Arrightylaxis Arrightylaxis Arrightylaxis Arrightylaxis Arrightylaxis Barling			
Anaphylaxis If you would like to enter more than one reaction Anemia If you would like to enter more than one reaction Arrhythmia Standard			
Anemia For a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Asthma Status and Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected. Decreased libido	Abdominal pain		
Arrhythmia Asthma first reaction from the list. Then hold down the Asthma Bradycardia Constipation select of the Construction with a save and the save button. All Constipation selected reactions will be associated to the Class			
Asthma Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All Constipation Selected reactions will be associated to the Clas Cough Cough Corrested libido		101 4 01433 01	
Bradycardia reactions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication selected. Decreased libido or Medication selected.			
Constipation selected reactions will be associated to the Class Cough or Medication selected.			
Cough or Medication selected.			
		or Medication	selected.
Depression	Decreased libido		
	Depression	T	
	If Reaction not listed above,enter description below.		

- b. Select whether you want to search by Class or Medication.
- c. Type all or part of a class or medication that you want to search for in the **Search Class/Meds** search field, and then click **GO**.
- d. Select an item in the search results list
- e. Leave today's date, or enter the correct **Date when allergy first noticed/reported**.
- f. Select whether you are entering an Allergy or an Intolerance.
- **g**. Select the patient's **Reaction** to the specified allergen, or if the appropriate reaction is not listed, type a description in the field provided.
- h. Click Save.
- i. Repeat steps a-h as needed.
- Edit
 - a. Click an allergy's Edit link.

The options for editing the allergy appear.

SulfADI/	AZINE - Oral		
Save	Cancel		
	Active Inactive		
Reactio	n		
	Headache	*	
	Hives		
	Irregular menses		
	Irritability		
	Itching		
	Nausea		
	Paresthesia		
	Rash		
	Sexual dysfunction	=	
	Shock		
	Shortness of breath		
	Sleeplessness		
	Tachycardia		
	Tremor	Ŧ	
	If Reaction not listed above(enter description below)		
	Allergy O Intolerance		

- **b**. Select whether this allergy is **Active** or **Inactive**.
- **c**. Select a **Reaction**, or if the appropriate reaction is not listed, type a description in the field provided.
- d. Select whether this is an Allergy or Intolerance.
- e. Click Save.
- **f**. Repeat steps a e as needed.
- No known allergies
 - a. Click No Known Allergies.
 - b. Click **Back** to close the **Act. Allergies** dialog box.
- Entered in error
 - **a**. Click an allergy's **EIE** link.
 - **b**. Repeat as needed.
- 3. Click Back to close the Act. Allergies dialog box.

Adding and Editing Problems

You can add and edit problems for a patient in ePrescribe.

To add or edit a problem

1. In ePrescribe, next to **Active problems**, click the text "None entered" (or the text of any existing problems).

		November 11, 1973 (44 Y) Male MRN 20601
Act. Problems ECHINOCOC MULTILOC LIVER	In Jan 14, 2021 - 09:41	
	Dennis Sr	ms ECHINOCOC MULTILOC LIVER
Act. Meds Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom		Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom

The Act. Problems dialog box appears.

Act. Problems					
Patient Diagnosis					
Back Add Diagnosis O Active	O Inactive / Resolved	All			
Diagnosis	Start Date ICD-9 Code	ICD-10 Code	SNOMED Code	Status	
Echinococcus multilocularis infection of liv	er 1/24/2018	B67.5		Active	Inactivate EIE

- 2. Add or inactivate a problem, or specify that a problem was entered in error (EIE):
 - Add
 - a. Click Add Diagnosis.

The search options appear.

chronic migraine	GO		
Back Save 🖌 Active 🛛	Date when diagnosis first noticed/reported:		
	1/24/2018		I
(mm/dd/yyyy)		
Diagnosis		ICD-10 Code≑	
 Chronic migraine without 	t aura	G43.7	
 Chronic migraine without 	t aura, intractable	G43.71	
 Chronic migraine without 	t aura, intractable, with status migrainosus	G43.711	
Chronic migraine without	t aura, intractable, without status migrainosus	G43.719	
 Chronic migraine without 	t aura, not intractable	G43.70	
 Chronic migraine without 	t aura, not intractable, with status migrainosus	G43.701	
Chronic migraine without	t aura, not intractable, without status migrainosus	G43.709	

- **b**. Type all or part of a diagnosis that you want to search for in the **Search Diagnosis** search field, and then click **GO**.
- c. Select an item in the search results list
- d. If this is an active problem, select the Active check box.
- e. Leave today's date, or enter the correct **Date when diagnosis first noticed/reported**.

- f. Click Save.
- g. Repeat steps a-f as needed.

Inactivate

a. Click a problem's **Inactivate** link.

Note: The problem's Inactivate link becomes unavailable.

ICD9 Code	Diagnosis	Active	Start Date	
122.5	ECHINOCOC MULTILOC LIVER	Ν	Dec 4 2013	Inactivate <u>EIE</u>

- **b**. Repeat as needed.
- Entered in error
 - **a**. Click a problem's **EIE** link.
 - **b**. Repeat as needed.
- 3. Click Back to close the Act. Problems dialog box.

Entering New Prescriptions

You can enter a new prescription into ePrescribe, which you will be able to view in the Easy Dental Prescriptions module and the ePrescribe module.

To enter a new prescription

Note: The steps that follow are based on a provider/doctor role. However, for a POB (prescribe on behalf) user role, what you actually see may differ.

- 1. With the ePrescribe module open, do one of the following:
 - If you are a provider, click **Select Med** >>.
 - If you are someone who prescribes on behalf (POB) of another, select the provider whom you are prescribing on behalf of, and then click **New Rx >>**.

	Patient	Tasks		
[Check In	Review History	Smith, Dennis 🔽	New Rx 🚿

The **Choose Medication** page opens.

Q	Search N	/ledicat	ion	GO	Patient History O My His	story 🔍 A	All Meds	O By G	Group: Select Gr	oup	W	rite Free F	Form Rx
Covera	age: Aval	eon									Pa	atient Opt	ions 🗸
Back		Add to	Script	Pad	Add & Review	Re	eview Scri	pt Pad					
				Medication	And Sig					Quantity	DAW	Refills	Days
	\odot			Acetaminop HOURS AS	h <u>en-Codeine #2</u> , 300-15 MG T NEEDED	lablet , TA	AKE 1 TO	2 TABL	ETS EVERY 4	36		0	3
	٢		4	Amoxicillin ,	, 250 MG Capsule , TAKE 1 CA	APSULE T	TWICE DA	AILY.		14		0	7
		\$	4		<u>vexIUM</u> , 20 MG Packet , MIX THE CONTENTS OF 1 PACKET IN 15ML OF NATER AND DRINK ONCE DAILY.				30		0	30	
				Norvasc , 1	10 MG Tablet , TAKE 1 TABLE	T TWICE	DAILY.			60		0	30
	٢		4	SulfADIAZIN	NE , 500 MG Tablet , TAKE 1 T	ABLET 3	TIMES D	AILY.		21		0	7

Notes:

- The green, yellow, and red faces represent formulary indicators, which are based on the patient's insurance plan:
 - The green face indicates a preferred status.
 - The yellow face indicates an approved status.
 - The red face is indicates an unapproved status.

Additionally, the number next to the faces represents levels of preference within a formulary.

- A yellow triangle represents a pre-emptive drug utilization review (DUR) warning:
 - Drug to drug interactions
 - Adverse reactions
 - Dosage checks
 - Duplicate therapies
- 2. Search for medications by using any of the following options:
 - **Patient History** Search the medications prescribed previously for the patient.
 - My History Search the medications that you have prescribed in the past.
 - All Meds Search the entire medication database, which is maintained by Medi-Span.
- **3**. Do one of the following:
 - If you are using the **Patient History** or **My History** search option, do the following:
 - **a**. Select the check boxes of the desired prescriptions. Only complete prescriptions are available for selection.

P	Search N	/ledicat	ion	GO	Patient History	O My His	story	All Meds	O By C	Group: Select Gro	oup	W	/rite Free F	Form Rx
Covera	age: Aval	eon										P	atient Opt	ions 🗸
Back		Add to	Script	Pad >	Add & Rev	iew 🚿	>	Review Scri	ipt Pad)				
				Medication	And Sig						Quantity	DAW	Refills	Days
	٢				cetaminophen-Codeine #2 , 300-15 MG Tablet , TAKE 1 TO 2 TABLETS EVERY 4 OURS AS NEEDED				36		0	3		
✓	٢		4	Amoxicillin ,	250 MG Capsule , 1	AKE 1 CA	APSU	LE TWICE D	AILY.		14		0	7
		\$	4		I <u>exIUM</u> , 20 MG Packet , MIX THE CONTENTS OF 1 PACKET IN 15ML OF VATER AND DRINK ONCE DAILY.				30		0	30		
				Norvasc , 1	0 MG Tablet , TAK	E 1 TABLE	ет ти	VICE DAILY.			60		0	30
	٢		4	SulfADIAZIN	NE , 500 MG Tablet	TAKE 11	FABLI	ET 3 TIMES D	DAILY.		21		0	7

Note: If you select a medication with either a yellow or a red face, the **Formulary Alternatives** panel on the right may be populated, allowing you to choose an alternative medication, which may result in a lower co-payment for the patient.

FORMULARY ALTERNATIN	/ES
Drug Name	Status
Fluticasone Propionate	🙂 1
Nasonex	🙂 1
Veramyst	🙂 1
Nasacort AQ	-
<u>Omnaris</u>	<u> </u>
Rhinocort Agua	<u> </u>

b. To the right of any medication name, you can change the **Quantity**, **DAW**, **Refills**, and/or **Days** as needed.

- If you are using the **All Meds** search option, do the following:
 - a. Type a medication name in the Search Medication search field, and then click GO.

P r	norvasc	GO Patier	nt History 🔍 My History 🕻	All Meds 🔍 By	Group: Select Group	Write Free Form Rx
Covera	ge: CVS/Caremark	CMX00339				Patient Options 🗸
Back	Select Sig 📏]				
		Drug Name	Strength	Unit	Dosage Form	Route
۲		Norvasc	10	MG	Tablet	Oral
0		Norvasc	2.5	MG	Tablet	Oral
0		<u>Norvasc</u>	5	MG	Tablet	Oral

- **b**. Select the desired medication.
- c. Click Select Sig >.

The **Choose SIG** page opens.

noose Sig : Preferred			
Choose or write a SIG for Norvasc 10 MG Tab	let Oral :		
Back Patient Ed Sheet Change Med	Add to Script Pad	Add & Review >>	
Preferred O All O Write Free Text SIG			
TAKE 1 TABLET TWICE DAILY. TAKE 1 TABLET DAILY AS DIRECTED.			
TAKE 1 TABLET DAILY AS DIRECTED. TAKE 1 TABLET DAILY FOR BLOOD PRES TAKE 1 TABLET DAILY.	SURE.		Ŧ
* Days Supply: 30 * Quantity: 60			
* Refills: 0	Dispens	e As Written	
Library - Adi	min & Dosage		
pecial instructions to pharmacist Note: should	I not be used for patient instruction	ons or comments	
	na nai len seeret for paliene inner		*
laximum 210 Characters / 210 characters remai			T

- **d**. Select the appropriate sig for the medication being prescribed:
 - **Preferred** Displays a list of the common ways of prescribing this medication.
 - All Provides every generic option of prescribing a medication.
 - Write Free Text SIG Allows you to write complex directions or to write a sig that cannot be found for Preferred or All.
- e. Set up the following options:
 - **Days Supply** Type the number of days needed for the prescription. Based on the sig and instructions, the correct **Quantity** is entered automatically. However, if your practice dispenses medication by quantity, type a **Quantity** to have the **Days Supply** entered automatically.

Note: If the calculated quantity on the sig page is above 9,999, a quantity alert appears.

- **Refills** Type the number of refills for this prescription.
- **Choose Package/Unit** If this option is available, the list displays packages or units from the smallest to the largest package size.

Choose Package/Unit:	GM 🗸
	GM
	EA
	16 GM Bottle

- **Dispense as Written** Select this check box if no substitutes may be given at the pharmacy.
- Library Admin & Dosage Click this link to be directed to the Wolters Kluwer facts and comparisons library (Deluxe users only).
- **Special instructions to pharmacist** Type any additional comments that you want to send with the prescription to the selected pharmacy. The pharmacy staff will be the only ones who see these comments as this is not for communication with the patient.
- To enter a free-form prescription (for a unique prescription), do the following:
 - a. Click Write Free Form Rx.
 - **b.** Next to **Please choose**, select whether this is a **Compound Medication** or a **Supply Item**. If it is a compound medication, and it is a controlled substance, select the **Controlled Substance Medication** check box.
 - c. In the Medication field, type a medication. This field has a maximum limit of 105 characters.

Choose Medication		Search My Rx History	Search All Meds
L Enter the nam	e of the drug (Max characters allowed is 105)		
Change Med	Select Sig		
* Please choose:	Compound Medication O Supply Item	Controlle	d Substance Medication
* Medication:			
		-	
	(Maximum 105 Characters / 105 characters remaining)		

d. Click Select Sig.

oose Sig : Free Text			
hoose or write a SIG for Norvasc:			
Back Patient Ed Sheet Change Med Add	to Script Pad 📏	Add & Review	
O Preferred O All Write Free Text SIG			
(Maximum 140 Characters / 140 characters remaining			
			*
			~
* Days Supply:			
* Quantity:			
	-	_	
* Refills: 0	Disper	nse As Written	
ecial instructions to pharmacist Note: should not be u	sed for nationt instructions (or comments	
inclusion and pharmacist Note. Should not be a	sou tor patient motifications (

- e. In the field, type a free-form prescription. This field has a maximum limit of 140 characters.
- **f**. Set up the following options:
 - **Days Supply** Type the number of days needed for the prescription.
 - **Quantity** Type the quantity of this medication to dispense, and select the unit (such as ML) to dispense this medication in.
 - **Refills** Type the number of refills for this prescription.
 - **Dispense as Written** Select this check box if no substitutes may be given at the pharmacy.

- **Special instructions to pharmacist** Type any additional comments that you want to send with the prescription to the selected pharmacy. The pharmacy staff will be the only ones who see these comments as this is not for communication with the patient.
- **4**. Do one of the following:
 - To add a medication to your script pad (similar to a shopping cart at an online store) and continue prescribing, click **Add to Script Pad** >. You are returned to the **Choose Medication** page. Repeat steps 1–3 as needed to enter another prescription.
 - If you are done prescribing, to add a medication to your script pad and review your script pad for patient safety and accuracy, click **Add & Review** >>.
- 5. After you click **Add & Review**, if the **DUR Check** (Drug Utilization Review) page appears, read and respond to it appropriately. Otherwise, if there are no DUR warnings to show, the **DUR Warning** page does not appear, so skip this step.

OUR Check		COVERAGE & CO-PAY
Back Continue		BURADILZING SOD NG TE
or more similar me with medications	ou have prescribed have created the following Drug Utilization Warnings (DUR). For Duplicate Therapy Warnings, there may be one adications on the patient's active medication list. For all other DUR warnings, there are Drug interactions that have been identified you have just prescribed. Please review the warnings listed and determine if current prescriptions need to be completed or if the d are acceptable to continue with therapy.	SCRIPT PAD
		SulfADIAZINE 500 MG Table
Prior Adverse Reactions	8	 QUANTITY 21 Tablet - REFIL 0 - TAKE 1 TABLET 3 TIMES
Warning		DAILY 7 DAYS
The use of Sulf SulfADIAZINE	Edit Remove Acetaminophen-Codeine #2 300-15 MG Tablet - QUANTIT	
Medication Name		36 Tablet - REFILL 0 - TAKE TO 2 TABLETS EVERY 4
Norvasc	The daily dose of 2 tablets exceeds the usual dose of 0.25 to 1 tablet. The frequency of 2 times per day exceeds the usual frequency of daily.	HOURS AS NEEDED - 3 DAY - DAW
SulfADIAZINE	The daily dose of 3 tablets is below the usual dose of 4 to 8 tablets.	Edit Remove
opyright 2017 CDI, LLC.	Norvasc 10 MG Tablet - QUANTITY 60 Tablet - REFIL 0 - TAKE 1 TABLET TWICE DAILY 30 DAYS Edit Remove	
		Review Script Pad

The **DUR Check** page displays all DUR warnings on one screen for all listed medications. The warnings are grouped by category (Prior Adverse Reaction, Duplicate Therapy, Drug to Drug Interaction, and so forth). Do the following:

- **a**. Under **Script Pad** (on the right), for any of the prescriptions listed, click **Edit** to change the prescription or **Remove** to delete the prescription.
- b. Click Continue.


Note: You cam click Back to go back and choose a different medication for the patient, if necessary.

The Script Pad page appears.

cript Pad								
Select Med	Change Pharmacy	Process Script Pad >	Check Registry	State Registry	Checked			
Rx Date	Medication & Sig	Tablet Betweeter Reference	TANGE 1 TARRET AT R	Destination				
01/24/2018 10:09 AM	TABLET EVERY 4 T	ninophen 5-325 MG Oral Ta O 6 HOURS AS NEEDED F et - REFILL 0 - Days Supply	Send to Pharmacy	~	CS 4	/ 🗋 😣		
01/24/2018 10:09 AM	IN 15ML OF WATER	Packet - MIX THE CONTE AND DRINK ONCE DAILY et - REFILL 0 - Days Suppl	ί.	Print	~	a	/ 🗋 😣	
01/24/2018 10:09 AM	DAILY.	Dral Capsule - TAKE 1 CAP		Send to Pharmacy	~	4	/ 🗋 😣	


6. Review the listed prescriptions, and select the appropriate **Destination**.

For a provider



- Send to Pharmacy Send the prescription to the retail pharmacy last used by the patient.
- Send to Mail Order Send the prescription to the patient's mail order pharmacy.
- **Print** Print the prescription for the patient (for any prescription with a Schedule II V this is the default).
- Send to Assistant Save the prescription and send a task to the assistant's Task List to be processed at a later time.
- **Patient Reported** Record the prescription in the patient's medical record (does not print or send a prescription to the pharmacy).

For a prescribe on behalf of (POB)



- **Send to Pharmacy** Send the prescription to the retail pharmacy last used by the patient.
- Send to Mail Order Send the prescription to the patient's mail order pharmacy.
- **Print** Print the prescription for the patient (for any prescription with a Schedule II V this is the default).
- Send to Physician w/ Current Pharmacy Send the prescription to the physician with the current retail pharmacy selected (will show up in the doctor's Task List).
- Send to Physician w/ Mail Order Send the prescription to the physician with the current mail order pharmacy selected (will show up in the doctor's Task List).
- **Send to Physician** Send the prescription to the physician (will show up on the physician's **Tasks** tab).
- **Patient Reported** Record the prescription in the patient's medical record (does not print or send a prescription to the pharmacy).

Note: You can also perform any of the following Actions for a prescription: edit, duplicate, and delete.

- 7. For provider's in New York, to indicate that you have checked the state registry, select the **State Registry Checked** check box.
- **8**. If needed, do any of the following:
 - To add another medication, click **Select Med**.
 - To change the patient's selected pharmacy, click **Change Pharmacy**.
- **9.** To save the medications within the patient's record, and send the prescriptions to the selected destinations, click **Process Script Pad**.

If you are electronically sending any prescriptions for controlled substances to a pharmacy, the **Electronic Prescribing of a Controlled Substance Confirmation** dialog box appears. Proceed to step 10.

Pro	Date: 10/26/2012 wider: atient: macy:						
	Medication and Sig		Quantity	DAW	Refills	Days	
	Hydrocodone-Acetamino TO 6 HOURS AS NEEDE	VERY 4 30		0	5		
te abi		cation protocol at this time, you are legally for dispensing. The two-factor authenticatio pear here.	on protocol may only be con		y Sign		
One Time Password (O.T.P):				Cancel			

- **10**. You must electronically sign any prescriptions for controlled substances that you want to electronically send to a pharmacy:
 - a. Select the check boxes of the prescriptions that you want to be processed.

Note: Your user name appears for your reference, and your DEA number is selected automatically.

- **b.** Enter your Veradigm (formerly Allscripts) security account credentials in the **User Name** and **Password** boxes.
- **c.** In the **One Time Password (O.T.P.)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- d. Click Electronically Sign and Send.

Updating Patient Records


After you add medical alerts/problems, medications, and allergies for a patient in ePrescribe, you can choose to add any or none of them to the corresponding patient's record in Easy Dental.

To update a patient's record

1. After entering prescriptions, allergies, and/or problems, close ePrescribe.

@ Pres	scriptions - ePre	escribe					
	Patient		ent 3 (44 Y) Male <i>MRN</i> 20601				My Dental Corporation
		ergies SulfADIAZINE - Or oblems ECHINOCOC MULT		intom		Last Sign	In Jan 14, 2021 - 09:41 am Dennis Smith 🥒
	Retail F MO. Pf	Pharm. CS CVS 16936 IN T harm. CS WALGREENS I	ARGET, 608 W MAIN ST, AMER MAIL SERVICE, 8350 S RIVER P	RICAN FOR MORE	S S	(
-	Patient Medication & M		s not yet been performed on this	patient.		Document Visit	URGENT MESSAGE
	Patient ID	Patient Name	DOB	Phone Number	Street Address	5	
۲	20601	Crosby, Brent	11-Nov-1973	8015556177	1234 Oak St		There are 3 failed registration messages.
							View failed messages
							Start EPCS Registration
1.0.6	8.0		Po	wered by Allscripts			Close

A dialog box appears, showing the progress of the download.



2. Click **Ok**.

The **Comparison** dialog box appears with the **Problems** tab selected.

3. Reconcile data on the CCR document with data already in the patient's record in Easy Dental. You can click each tab or click **Previous** or **Next** to navigate between each tab. The following tabs are be available:

Problems

- **Data from Document** The list displays the problems on the document that you can add to the patient's record. For each problem, select **Add To** Patient or **Do Not Add** from the **Action** list to specify whether you want to add or not add the problem to the patient's record.
- **Data in** Easy Dental The list displays the problems that already exist in the patient's record. For each problem, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from Easy Dental will be available only in an audit trail report.

Medications

- **Data from Document** The list displays the medications on the document that you can add to the patient's record. For each medication, select **Add To Patient** or **Do Not Add** from the **Action** list to specify whether you want to add or not add the medication to the patient's record.
- **Data in** Easy Dental The list displays the medications that already exist in the patient's record. For each mediation, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from Easy Dental will be available only in an audit trail report.

Allergies

- **Data from Document** The list displays the medication allergies on the document that you can add to the patient's record. For each allergy, select **Add To Patient** or **Do Not Add** from the **Action** list to specify whether you want to add or not add the allergy to the patient's record.
- **Data in** Easy Dental The list displays the medication allergies that already exist in the patient's record. For each allergy, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from Easy Dental will be available only in an audit trail report.
- **4**. To view all the resulting changes to the problems, medications, and allergies (based on your selections on each tab), click **Preview Consolidated List**. Then, click **OK** to close the preview dialog box.
- 5. Click Finish.

A confirmation message appears.

6. Click **Yes** to make the changes to the patient's record.

A summary of the reconciliation appears.

Description				Status		Discovered Date		SNOMED		Changed	-	
Added												
Existing												
Allergic To Latex				Active	12/3/2013		258750005		12/3/2013			
Bleeding ASTHMA				Active Active		12/3/2013 1/7/2014			304527002		12/3/2013 1/7/2014	
Updated											•	
Medications												
Description	scription			Туре		RxNor	m	NDC		Sig	Changed	4
Added												
Existing												
Amoxicillin 500mg	ng		Active							Take 1 tablet	12/3/2013	
Amoxicillin 500mg	oxicillin 500mg		RX							Take 1 tablet	12/5/2013	
CeleBREX 100 MG		Active		Med				00025152031		take 1 pill in t	12/3/2013	
Updated												•
Allergies												
Description	Status		Reaction		Severity		Discovered Date		RxNorm	Changed	4	
Added												
SulfADIAZINE - Oral	Active		Hives		Unknown		3/25/2015				3/25/2015	
Penicillin G Potassium - Injection	Inactive		Anaphylaxis		Unknown 1/		1/14/2014			3/25/2015		
Existing												
Penicillins - CLASS	Active		Anaphylaxis(Unkr	nown	12/4/2013				12/4/2013	
Updated												

7. Click **OK**.